

Masters of Offshore Solutions

Eastern Navigation Pte Ltd 東方航業私人有限公司 Co. Reg. No. 196000051C 3 Pandan Road Singapore 609255 T:+65 6268 3222 F:+65 6265 9494

www.easternnavigation.com

ENA Habitat

238 Man / DP2 / FIFI1 / 4 Point / 100MT Crane / Accommodation/Work Vessel



238 Berths in en-suite cabins DPS-2 Positioning System Built 2015 100MT, Man Riding Main Crane 5MT, Man Riding Auxiliary Crane FIFI-1 840 m² Deck Space Helideck 4 Point Mooring System 8,852kW (10,300bhp) installed power SPS Compliant Fitted with Cinema, Offices, Recreation etc

For further information, please contact us: Email: marketing@easternnavigation.com

Telephone: +65 6268 3222



Masters of Offshore Solutions

Eastern Navigation Pte Ltd 東方航業私人有限公司 Co. Reg. No. 196000051C 3 Pandan Road Singapore 609255 T:+65 6268 3222 F:+65 6265 9494

www. easternna vigation.com

ENA Habitat

238 Man / DP2 / FIFI1 / 4 Point / 100MT Crane / Accommodation/Work Vessel

Principal Particulars	
Flag	Singapore
Built	2015
Length Overall	85.00 m
Length B.P.	76.40 m
Beam Overall	23.00 m
Depth Moulded	8.00 m
Design Draft	6.00 m
Draft Scantling	6.20 m
Deadweight	About 3,800 tons
Speed	11 knots @ 100% MCR
Helideck	Suitable for Sikorsky S92N Helicopters, compliant with CAP437

Classification

ABS +A1(E) Offshore Support Vessel, FF1, SPS, +AMS, +ACCU, +DPS-2, BWT, CRC, GP, MLC-ACCOM, UWILD

Capacities	
Fuel Oil	1,800 m3
Potable Water	1,200 m3
WB/DW	350 m3 / 1,850 m3
Lube/Hydraulic	10 m3 / 10 m3
Sewage	50 m3
Bilge	30 m3
Deck Cargo Area	About 840 m3
Deck Cargo	About 1,000 tons
Cargo Deck Load	7.5 tons/m2

Discharging Rates	
Fresh Water	1 x 150 m3/hr @ 75m head
Fuel Oil	1 x 150 m3/hr @ 75m head
Drill Water	2 x 150 m3/hr @ 75m head
Flow Meter	Provided for FO and FW

Accommodation	
1-Berth Cabins	10
2-Berth Cabins	14
4-Berth Cabins	50
Berths - Total	238
Hospital	1
Recreation/Movie	3
Room	
Office	3
Conference Room	1
Gym	1
Chiller/Freezer	19 m2 / 15 /m2
Provisions	53 m2
Water Maker	2 x 60 MT/day R.O. type
Incinerator	1 x 180,000 Kacl/hr

Life Saving / Rescue Equipment / Pollution Control	
Life Boat	2 x 120 men, SOLAS certified c/w Davit
Fast Rescue Boat	60 hp FRC
Life Raft & Davit	8 x 24 men, conforming to SOLAS convention
Firefighting	FIFI 1
Foam Tank	10 m3
Oil dispersant spray boom at mid-ship on both sides, 6 m spray boom with 6 spray nozzles. Foam fire-	

fighting system for helideck, deluge system, sprinkler system, fixed CO2 system	
Machinery & Propulsion Equipment	
Main Engines	2 x 2,206 kW (3,000 bhp) Niigata, with PTO for FIFI pumps

Machinery & Pro	pulsion Equipment
Main Engines	2 x 2,206 kW (3,000 bhp) Niigata, with PTO for FIFI pumps
Generators	6 x 740 ekW diesel generators @ 440V, 3 Phase, 60Hz 1 x 335 ekW emergency diesel generator, with harbour function
Propellers	2 x Azimuth Stern Drive, CPP
Bow Thruster	2 x Transverse Tunnel Thruster, 950 kW, approx. 15MT, CPP 1 x Retractable Thruster, 800 kW, approx. 16MT
Main Crane	1 x 100MT Huisman Crane Main Hoist: - 100MT @ 19m, - 50MT @ 43m Auxiliary Hoist: 15MT @ 47m API-2C, ABS Class, Man-Riding
Auxiliary Crane	1 x 5MT @ 14m, fixed boom, API-2C, Man-Riding

Spread Mooring I	Equipment
Mooring Winch	4 Sets
	Drum Pull (1st Layer):
	- 50MT @ 12 m/min
	- 12MT @ 30 m/min
	Drum Capacity:
	- 1,500m x 42mm
	Brake Holding:
	- 90MT (static)
	c/w Length and Tension meters
Anchors	4 + 1 Delta Flipper anchors, 7MT
Associated	Anchor Wire Fairleads, Sheaves,
Equipment	Anchor Racks
CCTV	All Winches and Deck



Masters of Offshore Solutions

Eastern Navigation Pte Ltd 東方航業私人有限公司 Co. Reg. No. 196000051C 3 Pandan Road Singapore 609255 T:+65 6268 3222 F:+65 6265 9494 www.easternnavigation.com

ENA Habitat

238 Man / DP2 / FIFI1 / 4 Point / 100MT Crane / Accommodation/Work Vessel

Normal Mooring	Equipment
Anchor Windlass	2 x 12MT @ 9m/min for chain 6MT @ 15 m/min to 30 m/min for mooring line
Anchor	2 x AC-14HHP stockless anchors stowed in anchor pockets, 3,060 kg each
Chain Cable	Total 550 m x 55 mm diameter grade U3 stud-link chain
Mooring Lines	4 x 80 m mooring rope, MBL 29MT
Emergency Towing Line	Complies with MSC.256 (84)
Tugger Winch	2 x 10MT @ 12 m/min, 200 m x 26 mm diameter wire
Capstan	2 x 5MT @ 15 m/min, variable speed control

Dynamic Positioning System	
Туре	Kongsberg, IMCO Class DP2 with SKP notation
Reference Systems	1 x Radius 1,000D 1 x Cyscan MK4 2 x DGPS 3 x Wind Anemometer
Control	2 x DP Workstations at aft bridge 1 x Independent Joystick

Navigation and Communication Equipment

Compass, Autopilot, 3 x Gyrocompass, 2 x Radars, Echo sounder, Doppler speed log, Engine telegraphs, Automatic Identification System, Weather fax receiver, Voyage data recorder, GPS receiver, BNWAS, ECDIS, MF/HF Radio, MF/HF Watch receiver, 3 fixed VHF, 4 portable VHF, Navtex receiver, Inmarsat C-SES satellite system, SSAS, LRIT, Inmarsat system, EPIRB, GMDSS, SART, Marine TV System, Integrated telephone/PA system